

# Borg & Overström C2/C3

## Tap Systems

The Borg & Overström C2 and C3 bring premium filtered water dispensing to busy commercial environments, combining dependable performance with a compact, refined design. Delivering chilled, sparkling and ambient water at up to 80 litres per hour, both systems provide an efficient alternative to bottled water, with two or three tap configurations to suit different service requirements.

### Available Models:

*C2 ProCore+*

*C3 ProCore+*



LIQUIDLINE

Altogether better

# Borg & Overström

## C2/C3

---

Ideal for busy commercial environments, the Borg & Overström C2 and C3 combine dependable water dispensing with advanced filtration, hygiene and cooling technology. Both models offer a practical solution for convenient, sustainable hydration.

---

### COMMERCIAL PERFORMANCE

Designed for busy hospitality and commercial environments, the C2 and C3 provide reliable access to chilled, sparkling and ambient filtered water throughout the day. Intuitive faucet handles make dispensing simple, while an impressive 80L/h capacity supports busy service periods with ease. Choose from a two-tap or three-tap configuration to suit your space and dispensing requirements.

### A SMARTER WAY TO REFILL

Both models offer a practical bottleless alternative for breakfast bars, canteens, restaurants and back-of-house areas. Mains-fed filtration means water can be dispensed directly into reusable glasses, bottles and carafes, reducing reliance on single-use water bottles. Paired with a robust stainless-steel drip tray, the system creates a convenient, purpose-built refill station.

### COMPACT, EFFICIENT DESIGN

At the heart of the C2 and C3 is the compact ProCore® system, designed for efficient performance with discrete ventilation and advanced modularity. DryChill® airless rapid cooling technology delivers chilled water efficiently while supporting a hygienic dispensing environment. With a refined chrome finish and compact footprint, both systems integrate neatly into commercial spaces.

### ADVANCED HYGIENE & FILTRATION


Totality® combines filtration and hygiene measures to help reduce sediment, odours, chlorine and microplastics, delivering freshly filtered water with a clean, crisp taste. Its integrated approach supports consistent water quality and helps maintain a high standard of hygiene throughout the dispensing system.

“

The C2/C3 combines dependable commercial performance with a simple, hygienic and sustainable way to serve filtered water.”

# C2 ProCore+

## Technical Information



\*Dependent on model

## Specification

|                              |                             |
|------------------------------|-----------------------------|
| Product ID                   | PBOC2CS                     |
| Dimensions (W x D x H)       | 165 x 220 x 510             |
| Drink Configurations         | Chilled, Ambient, Sparkling |
| Chilled & Sparkling Capacity | 80L/h                       |
| Energy                       | 230-240v                    |
| Water                        | Mains Fed                   |
| Colour Options               | Chrome                      |




## Get in Touch

liquidline.co.uk  
sales@liquidline.co.uk  
0800 849 9110

liquidline.ie  
sales@liquidline.ie  
01 263 6363

# C3 ProCore+

## Technical Information



\*Dependent on model

## Specification

|                              |                             |
|------------------------------|-----------------------------|
| Product ID                   | PBOC3CSA                    |
| Dimensions (W x D x H)       | 235 x 235 x 510             |
| Drink Configurations         | Chilled, Ambient, Sparkling |
| Chilled & Sparkling Capacity | 80L/h                       |
| Energy                       | 230-240v                    |
| Water                        | Mains Fed                   |
| Colour Options               | Chrome                      |



## Get in Touch

liquidline.co.uk  
sales@liquidline.co.uk  
0800 849 9110

liquidline.ie  
sales@liquidline.ie  
01 263 6363